

*Basic Directions:*


1. Lightly score dotted lines before cutting piece out to make folding easier.
2. Be careful to cut around all tabs.
3. Dotted lines are to be folded. Green dotted lines and green letters should be folded backward. Red dotted lines and red letters should be folded forward.
4. Letters indicate how pieces should fit together.

*To Assemble Walls:*

1. Cut out the End Wall and End Window Bay pieces. Fold all dotted lines.
2. Glue the Front and Back of each end together; glue in Window Bays.
3. Cut out Front and Back Wall pieces and Window Bays. Fold all dotted lines.
4. Glue the three Front Wall pieces together; glue the three Back Wall pieces together. Glue in the Window Bays where indicated.
5. Glue the Ends, Front, and Back together with tabs A - D. Glue the cornices with tabs A1 - D1.

*To Assemble Porches:*

1. Cut out the Porch, Step, and Column pieces. Fold all dotted lines.
2. Glue together the Front Step pieces using tabs S1 - S6. Glue to Front Wall where indicated.
3. Glue together the Back Step pieces using tabs S1 - S6. Glue to Back Wall where indicated.
4. Glue together the Front Porch and its Sides. Attach to the Front Wall by inserting tabs 9a - 9d through slits cut in Front Wall. Glue tabs to back side of wall.
5. Glue together the Back Porch and its Sides. Attach to the Back Wall by inserting tabs 9a - 9d through slits cut in Back Wall. Glue tabs to back side of wall.
6. Glue up columns to create eight hollow tubes. Glue the Columns to the Steps and underside of Porch at the white circles.
7. Glue the bottom tabs onto a piece of poster board to provide a base. Make sure the corners are square and the walls are straight.



View of built model

*To Assemble Main Roof:*

1. Cut out the Geison Roof pieces. Fold all dotted lines.
2. Glue together pieces to create End Geison Roofs, the Front and Back half of each end together; glue in Window Bays.
3. Glue Geison Roofs to create tubes of square cross section. Glue each Geison Roof to its matching image.
4. Cut out the six main Roof pieces. Cut slits where indicated and Fold all dotted lines.
5. Glue six Roof sections together and set aside.
6. Cut out the Octagonal Dome Support Tower. Fold all dotted lines.
7. Glue tower together with tabs T1 - T3. Glue to the Dome Support Tower Top with tabs T14 - T21.
8. Set Tower into center of walls. Test fit roof assembly around Tower and over Walls. When fit correctly, glue roof to End, Front, and Back wall tabs and to Tower tabs T4 - T13.

*To Assemble Chimneys and Dome:*

1. Cut out the eight Chimney pieces. Fold all dotted lines.
2. Glue each chimney together to create a box. Insert the two bottom tabs into the slits cut in the Roof.
3. Cut out the Dome Drumm Wall pieces. Fold all dotted lines.
4. Glue the Dome Drumm Walls together with tabs D1, D2. Glue the assembly to the red floor with tabs D3 - D10.
5. Cut out the Upper and Lower Cornice Circles. Cut out Upper and Lower Dome Cornice Sections. Fold all dotted lines and cut slits where indicated.
6. Glue the Cornice strips together. Glue the Lower Dome Cornice around the Circle matching up Blue numbers 1 - 15.
7. Glue the Upper Dome Cornice around the matching circle at letters a - q.
8. Insert the Lower Dome Cornice tabs with black numbers 1 - 15 through the upper circle, fold over, and glue.
9. Glue the Lower Dome Circle to the top of the drum walls with tabs Dd11 - Dd18.
10. Cut out and fold the two Dome pieces and the Dome Base.
11. Glue Dome pieces together at D1 and D2. Glue Dome pieces to Dome base with tabs D3 - D18. Glue the remaining Dome tabs, D19 - D34. Glue the Dome base to the center of the Upper Dome Cornice Circle.

# BUILD YOUR OWN LINCOLN SITES

Glue Front Roof Right End here

AI

Attach end gable garrison roof here over this matching image

Re1

Re2

A

Attach right end 1st window bay here

Attach right end 2nd window bay here

Attach right end 3rd window bay here

Attach right end 4th window bay here

Re3

Right End Front

# BUILD YOUR OWN LINCOLN SITES

**LINCOLN**  
ILLINOIS BICENTENNIAL COMMISSION

[www.Lincoln200.net](http://www.Lincoln200.net) [www.illinois-history.gov](http://www.illinois-history.gov)  
[www.LookingforLincoln.com](http://www.LookingforLincoln.com)  
[www.OldStateCapitol.org](http://www.OldStateCapitol.org)  
[www.BuildYourOwnMainStreet.org](http://www.BuildYourOwnMainStreet.org)

OLD STATE CAPITOL  
SPRINGFIELD, ILLINOIS

PAGE  
2 of 41

Re1

*Glue Back Roof Left End here*

Re2

Attach end gable geison roof here over this matching image

B1

B

Attach right end 5th window bay here


Attach right end 6th window bay here

Attach right end 7th window bay here

Re3

*Right End Back*

# BUILD YOUR OWN LINCOLN SITES



Le1

Glue Back Roof Right End here

C1

Attach end gable gession roof here over this matching image

Le2

C

Attach left end 1st window bay here

Attach left end 2nd window bay here

Attach left end 3rd window bay here

Attach left end 4th window bay here

Le3

Left End Back

# BUILD YOUR OWN LINCOLN SITES


Le1

*Glue Front Roof Left End here*

Le2

Attach end gable geison roof here over this matching image

D1



Le3

D

*Left End Front*

# BUILD YOUR OWN LINCOLN SITES




Right end 1st window bay

Right end 2nd window bay

Right end 3rd window bay

Right end 4th window bay



Right end 5th window bay

# BUILD YOUR OWN LINCOLN SITES




Left end 1st window bay

Left end 2nd window bay

Left end 3rd window bay

Left end 4th window bay



Left end 5th window bay

# BUILD YOUR OWN LINCOLN SITES

**LINCOLN**  
ILLINOIS BICENTENNIAL COMMISSION

[www.Lincoln200.net](http://www.Lincoln200.net) [www.Illinois-history.gov](http://www.Illinois-history.gov)  
[www.LookingforLincoln.com](http://www.LookingforLincoln.com)  
[www.OldStateCapitol.org](http://www.OldStateCapitol.org)  
[www.BuildYourOwnMainStreet.org](http://www.BuildYourOwnMainStreet.org)

OLD STATE CAPITOL  
SPRINGFIELD, ILLINOIS

# BUILD YOUR OWN LINCOLN SITES



Glue Front Roof Left End here.

F11

F12

Cut slits at two white lines above and insert Front Porch Side tabs, (9c, 9d) in these slots.

D

Attach Front 1st window bay here

Attach Front 2nd window bay here

Attach Front 3rd window bay here

Attach Front 4th window bay here

F13

Front Left

[www.Lincoln200.net](http://www.Lincoln200.net)  
[www.illinois-history.gov](http://www.illinois-history.gov)

[www.LookingforLincoln.com](http://www.LookingforLincoln.com)

[www.OldStateCapitol.org](http://www.OldStateCapitol.org)  
[www.BuildYourOwnMainStreet.org](http://www.BuildYourOwnMainStreet.org)

Glue Back Roof Left End here.

B11

B12

Cut slits at two white lines above and insert Front Porch Side tabs, (9c, 9d) in these slots.

B

Attach Back 1st window bay here

Attach Back 2nd window bay here

Attach Back 3rd window bay here


Attach Back 4th window bay here

B13

Back Left

BUILD YOUR OWN LINCOLN SITES

**BUILD YOUR OWN LINCOLN SITES**



Glue Front Roof Right End here.

Fr1

Fr2

Cut slits at two white lines above and insert Front Porch Side tabs, (9a, 9b) in these slots.

Attach Front 6th window bay here

Attach Front 7th window bay here

Attach Front 8th window bay here

Attach Front 9th window bay here

Fr3

Front Right

Old State Capitol, Springfield, IL

A

BUILD YOUR OWN LINCOLN SITES

Glue Back Roof Right End here.

Br1

Br2

Cut slits at two white lines above and insert Front Porch Side tabs, (9a, 9b) in these slots.

Attach Back 6th window bay here

Attach Back 7th window bay here

Attach Back 8th window bay here


Attach Back 9th window bay here

Br3


Back Right


C

# BUILD YOUR OWN LINCOLN SITES



# BUILD YOUR OWN LINCOLN SITES






# BUILD YOUR OWN LINCOLN SITES

**LINCOLN**  
ILLINOIS BICENTENNIAL COMMISSION

[www.Lincoln200.net](http://www.Lincoln200.net) [www.illinois-history.gov](http://www.illinois-history.gov)  
[www.LookingforLincoln.com](http://www.LookingforLincoln.com)  
[www.OldStateCapitol.org](http://www.OldStateCapitol.org)  
[www.BuildYourOwnMainStreet.org](http://www.BuildYourOwnMainStreet.org)

OLD STATE CAPITOL  
SPRINGFIELD, ILLINOIS

PAGE  
15 of 41




# BUILD YOUR OWN LINCOLN SITES

**LINCOLN**  
ILLINOIS BICENTENNIAL COMMISSION

[www.w.Lincoln200.net](http://www.w.Lincoln200.net) [www.illinois-history.gov](http://www.illinois-history.gov)  
[www.w.LookingforLincoln.com](http://www.w.LookingforLincoln.com)  
[www.w.OldStateCapitol.org](http://www.w.OldStateCapitol.org)  
[www.w.BuildYourOwnMainStreet.org](http://www.w.BuildYourOwnMainStreet.org)

OLD STATE CAPITOL  
SPRINGFIELD, ILLINOIS

PAGE  
16 of 41




Front Column Top 2

Score lines on each column and cut out bend to form a tube and glue the tab marked \* on each tube to the corresponding \* on the other side of the column.




Front 8th window bay

Front 9th window bay



Front Column Top 1

# BUILD YOUR OWN LINCOLN SITES




Back Column Top 2



Back 8th window bay


Back 9th window bay




Back Column Top 1

# BUILD YOUR OWN LINCOLN SITES

BUILD YOUR OWN LINCOLN SITES



BUILD YOUR OWN LINCOLN SITES



Glue Back Porch Roof to these tabs

Glue Back Porch Roof to these tabs

Attach porch geison roof here over its matching image

Bct1

Bct2


Bct3

Bct4


Back Porch

Back Column Top 3


BUILD YOUR OWN LINCOLN SITES



BUILD YOUR OWN LINCOLN SITES



BUILD YOUR OWN LINCOLN SITES



Base of the Back of Front Steps.  
Glue this tab to the matching  
box on the front tab.

Back of Front Steps

S1

S4

Fcb1

Fcb2

Fcb3

Fcb4

S2


S5

S3

S6

Glue the Base of the Back of Front  
Steps tab to this location.

BUILD YOUR OWN LINCOLN SITES



Base of the Back of Back Steps.  
Glue this tab to the matching  
box on the front tab.

Back of Back Steps

S1

S4

Bcb1

Bcb2

Bcb3

Bcb4

S2

S5

S3

S6

Glue the Base of the Back of Back  
Steps tab to this location.

Porch geison roof. Glue over its matching image on the front porch.

Glue this tab behind Porch geison roof tab to create a tube with square cross section.

Porch geison roof. Glue over its matching image on the back porch.

Glue this tab behind Porch geison roof tab to create a tube with square cross section.

Right end gable geison roof. Glue to matching half and then glue over its matching image.

Glue this tab behind Right end gable geison roof tab to create a tube with square cross section.

Right end gable geison roof. Glue to matching half and then glue over its matching image.

Glue this tab behind Right end gable geison roof tab to create a tube with square cross section.

Left end gable geison roof. Glue to matching half and then glue over its matching image.

Glue this tab behind Left end gable geison roof tab to create a tube with square cross section.

Left end gable geison roof. Glue to matching half and then glue over its matching image.

Glue this tab behind Left end gable geison roof tab to create a tube with square cross section.


## BUILD YOUR OWN LINCOLN SITES

Bend down 90 deg. and glue to back roof left end top tab.

Insert toothpick into small round hole as lightening rod

Bend down 90 deg. and glue to front roof center's right tab.

Cut slits at 2 white lines and insert chimney tabs.



Front Roof, Right End

# BUILD YOUR OWN LINCOLN SITES

Bend down 90 deg.  
and glue to back roof  
center top tab.

**T4**  
**T5**  
**T6**  
**T6**  
**T8**

Octagonal Dome  
Support Tower fits  
here. The tabs, T4  
through T8 support  
this roof.

Bend down 90 deg.  
and glue to back roof  
center top tab.

Glue to front roof left end's right tab.

Cut slits at 2 white lines and insert chimney tabs.

Glue to front roof right end's left tab.

Cut slits at 2 white lines and insert chimney tabs.

Glue the Front Porch Roof over  
this approximate area. Allow for equal  
overhang at sides and front of the porch.

Front Roof, Center


# BUILD YOUR OWN LINCOLN SITES

Insert toothpick into small round hole as lightening rod




Bend down 90 deg. and glue to back roof right end top tab.

Cut slits at 2 white lines and insert chimney tabs.



Glue to front roof center's left tab.




Front Roof, Left End

# BUILD YOUR OWN LINCOLN SITES

Bend down 90 deg. and glue to front roof left end top tab.

Glue to back roof center's right tab.



Cut slits at 2 white lines and insert chimney tabs.


Back Roof, Right End

# BUILD YOUR OWN LINCOLN SITES

Bend down 90 deg.  
and glue to front roof  
center top tab.

Glue to back roof left end's right tab.

Cut slits at 2 white lines and insert chimney tabs.



Bend down 90 deg.  
and glue to front roof  
center top tab.

Glue to back roof right end's left tab.

Cut slits at 2 white lines and insert chimney tabs.

Glue the Back Porch Roof over  
this approximate area. Allow for equal  
overhang at sides and front of the porch.

Back Roof, Center


# BUILD YOUR OWN LINCOLN SITES

Bend down 90 deg. and glue to front roof right end top tab.

Cut slits at 2 white lines and insert chimney tabs.




Glue to back roof center's left tab.



Back Roof, Left End


# BUILD YOUR OWN LINCOLN SITES




# BUILD YOUR OWN LINCOLN SITES



# BUILD YOUR OWN LINCOLN SITES




Cut these tabs on three sides and bend out at 90 deg. to provide support for the roof.



Octagonal Dome Support Tower


# BUILD YOUR OWN LINCOLN SITES



Cut these tabs on three sides and bend out at 90 deg. to provide support for the roof.

T2

T3









Octagonal Dome Support Tower

Tower Base Tab




Tower Base Tab

# BUILD YOUR OWN LINCOLN SITES



This octagon is the top of the Dome Support Tower and the floor of the Dome's Drum. The floor will be glued on top of the Tower's tabs T14 through T21. The bases of the Dome Columns are to be glued to the white circles on this octagon.

# BUILD YOUR OWN LINCOLN SITES



# BUILD YOUR OWN LINCOLN SITES


Dome Column



Dome Column



Dome Column



Cut slits at the solid black lines beside each black number. Come back to that after the Upper dome cornice is glued on.

Upper dome cornice sections are to be shaped around this circular upper cornice circle with black lettered tabs glued over the matching black letters.


The black numbered tabs of the Lower dome cornice section are to be inserted through the slits cut earlier, bent over and glued to the back side of this circle.

Upper Dome Cornice Circle

*To Assemble remaining pieces:*

1. Cut out the sixteen Dome Columns. Fold all dotted lines.
2. Glue each Dome Column to itself to create hollow tubes. Glue each column in place around the Dome Drum walls as indicated by white and black circles.
3. Cut out the Cap and Flag. Fold all dotted lines.
4. Glue the Cap together with tabs C1 - C5. Glue to top of Dome.
5. Glue the Flag around a toothpick flagpole; insert into hole in the center of the Cap.
6. Cut out the Front and Back Porch Roofs. Fold all dotted lines.
7. Fit each Roof over corresponding Porch and main Roof. Glue to Porch tabs and main Roof.
8. Insert toothpick lightening rods into 4 white circles/holes at ends of main and Porch Roofs. Glue in place


Dome Column




Dome Column



Dome Column




# BUILD YOUR OWN LINCOLN SITES





Black Circle are Dome Column locations, typical.

Lower Dome Cornice Circle

Insert toothpick flag pole in center hole of dome cap.





Cut out flag and glue sides together around a toothpick as flag pole. Pole will be inserted in dome's cap.



# BUILD YOUR OWN LINCOLN SITES

BUILD YOUR OWN LINCOLN SITES

Upper dome cornice sections. Glue the three strips together at the tabs to create one long band. The band will be shaped around the circular upper cornice base (with black letters).




Front Porch Roof

Insert toothpick into small round hole as lightening rod



BUILD YOUR OWN LINCOLN SITES



Lower dome cornice sections. Glue the three strips together at the tabs to create one long band. The band will be shaped around the circular lower cornice base (with blue numbers).

Insert toothpick into small round hole as lightening rod

Back Porch Roof